

# Floranid® Twin Eagle K 12-0-24(+3)



## Slow-Release Fertilizers

Extra fine granulated slow-release complex fertilizer of excellent solubility. It includes the double N technology (ISODUR® and CROTODUR®) and a distinct emphasis on potash for summer and autumn fertilization applications on high-quality turf surfaces such as greens and tees.

- Microgranulate
- With the double N technology made of ISODUR® and CROTODUR®
- For high-quality sports turf surfaces and especially short cut surfaces such as greens
- High in potassium
- Ideal autumn fertilizer, increases the resistance to heat, drought and frost
- No excessive growth and cuttings
- Reliable slow nitrogen release over several months
- Promotes vital root growth, increases the resistance of the grasses
- Reduction of workload, application risk and nutrient losses due to leaching
- Optimal granulation for a fine distribution

## Description

Floranid® Twin Eagle K is an extra fine granulated long-term fertilizer, high in potassium, for high-quality sports turf surfaces. The turf-specific NK ratio of 1:2 ensures resistance to frost and makes Floranid® Twin Eagle K an ideal autumn fertilizer. Floranid® Twin Eagle K is also recommended for high potassium requirements or to increase plant stability during dry and hot conditions. The granule size of Floranid® Twin Eagle K is very fine and uniform and therefore ideal for short cut lawns such as greens, pre-greens and tees. The extensive trace element contents ensure optimal growth, especially on sand-based DIN constructions.

Floranid® Twin Eagle K contains the double N technology made of ISODUR® and CROTODUR® for efficient and controlled nitrogen release over a period of up to 4 months. The activity index is over 95%. The double N technology ensures long-term nutrient supply, ensures maximum N efficiency and leads to optimum growth and good coloring. Each granule contains all nutrients and thus guarantees a very exact distribution of all nutrients.

## Declaration

EU fertilizing product

MINERAL FERTILIZER - PFC 1(C)(I)(a)(ii)

NK (MgO, SO<sub>3</sub>) complex fertilizer 12-0-24 (+3+30) with micronutrients

For use in horticulture.

Poor in chloride.

Content	Nutrients	
12,0%	N	total nitrogen 2,4% ammoniacal nitrogen 5,7% isobutylidenediurea 3,9% crotonylidenediurea
24,0%	K <sub>2</sub> O	water soluble potassium oxide
3,0%	MgO	total magnesium oxide 2,0% water soluble magnesium oxide
30,0%	SO <sub>3</sub>	total sulphur trioxide 28,75% sulphur trioxide soluble in water
0,01%	Cu	water soluble copper, as copper disodium, 100% chelated by EDTA
1,00%	Fe	total iron, as sulphate, thereof 0,4% water soluble iron
0,10%	Mn	water soluble manganese, as sulphate
0,01%	Zn	total zinc, as sulphate, thereof 0,008% water soluble zinc

Chelated nutrients are stable in the pH range 4-8.

Use only if there is a recognized need. Do not exceed the application rate.

**Storage conditions:**

Protect stored fertilizer from frost, light, high temperatures and moisture. Avoid large temperature fluctuations. Do not stack more than two pallets. Only store in original packaging. Use up promptly once opened.

**Information on safety and environment:**

To avoid risks to human health and the environment, comply with the instructions for use.

EUH210: Safety data sheet available on request.

**Granulometry:** Granules, 90% < 1,4 mm

**General information: FOR PROFESSIONAL USE**

## Application Recommendations

### Golf Turf

#### Intended application

Soil application

#### Application frequency

Greens: 4-6 per year

Pre-greens: 3-4 per year

Tees: 3-4 per year

#### Application rate

##### Greens

20-40 g/m<sup>2</sup>

#### Time of application

Follow regional recommendation

##### Pre-greens

20-35 g/m<sup>2</sup>

Follow regional recommendation

##### Tees

30-40 g/m<sup>2</sup>

Follow regional recommendation

## Sports Turf

Intended application

Soil application

Application frequency

2-3 per year

Application rate

**Sports fields**

30-50 g/m<sup>2</sup>

Time of application

Follow regional recommendation

## Public Green

Intended application

Soil application

Application frequency

1-3 per year

Application rate

**Public green areas**

30-40 g/m<sup>2</sup>

Time of application

Follow regional recommendation

## Form of Delivery

- 25 kg bag
- 1,000 kg big bag

## Transport & Storage Recommendations

### Transport

- Delivery as loose goods in big bags or on pallets with bags and canisters.
- Protect loose goods from moisture during transport.
- Protect goods from excessive direct sunlight and large temperature fluctuations during transport.
- Only transport fertilizer at moderate temperatures. Use an air-conditioned lorry if necessary.
- Take note of any hazardous material labels on the product.

## Storage general

- Protect stored fertilizer from frost, light, and moisture.
- Store loose goods inside a building and not in outdoor areas. Keep doors closed and cover heaped materials.
- As the product has a tendency to attract moisture, protect it from rain and standing water.
- Take note of the hazardous material labels on the product where appropriate.
- Avoid stacking more than two pallets on top of each other. Always cover loose goods and do not offload in the rain.
- Only transport and store at temperatures between 5 °C and 40 °C. Only store in the original packaging. Products should be used up as quickly as possible once opened.

## Storage temperature

- Avoid frost and excessively high temperatures.
- Avoid large temperature fluctuations during storage.

## Storage periode

- Products should be used up as quickly as possible once opened.